


E190P/Ø125/500 ROOF FAN



Product description

Insulated roof fan with an AC motor. The inner pipe is made of galvanized sheet steel with a lip seal. Controlled with, for example, the VILPE Controller AC. In addition to the fan, a VILPE roof pass-through suitable for the roofing material is required. Dimensions: Duct size Ø 125 mm, external Ø 225 mm, height above roof approx. 500 mm. Contents: Roof fan, screws, installation, operating and maintenance instructions.

Performance data




Performance data



E190							
		60 V	110 V	135 V	165 V	180 V	230 V
q V1	dm ³ /s	21.6	35.4	52.1	59.9	64.7	79.5
p tF	Pa	7	55	73	121	137	174
PE	W	8.0	25.0	35.7	49.0	54.7	80.0
ηtE	-	0.019	0.077	0.107	0.148	0.162	0.173
n	1/min	532	1226	1510	1874	2002	2322
L W63	dB	43.4	52.7	56.1	59.2	60.1	63.3
L W125	dB	52.6	69.5	75.0	76.9	76.8	78.3
L W250	dB	42.6	61.0	68.2	73.1	73.6	75.4
L W500	dB	0.0	47.7	53.9	58.3	60.0	64.4
L W1000	dB	18.8	46.2	52.1	59.2	61.1	63.4
L W2000	dB	*	36.4	44.4	49.6	50.7	54.4
L W4000	dB	*	26.0	34.1	42.2	43.5	47.5
L W8000	dB	*	*	19.4	31.3	34.0	38.9
L W	dB	53.5	70.2	75.9	78.6	78.7	80.4
L WA	dB (A)	39.4	57.6	63.7	67.3	68.1	70.4

Dimensions



Copyright © 2014 SK Tuote Oy. All rights reserved.

Product information

Color	Product code	Contents
Black	73592	Roof fan, screws, installation, operating and maintenance instructions.
Brown	73594	Roof fan, screws, installation, operating and maintenance instructions.
Green	73596	Roof fan, screws, installation, operating and maintenance instructions.
Grey	73597	Roof fan, screws, installation, operating and maintenance instructions.
Red	73598	Roof fan, screws, installation, operating and maintenance instructions.
Brick Red	73599	Roof fan, screws, installation, operating and maintenance instructions.

Sales and technical support

Puh. 020 123 3233
myynti@vilpe.com

VILPE Oy
Kauppatie 9
65610 Mustasaari
Suomi