

E220P/Ø160/500 ROOF FAN



Product description

Insulated AC roof fan. Includes an inner pipe with a lip seal, made of galvanized steel sheet. Can be controlled, for example, with the VILPE Controller AC regulator. In addition to the fan, a VILPE roof pass-through, selected according to the roofing material, is required.


Dimensions: Duct size Ø 160 mm, external Ø 225 mm, height above roof approx. 500 mm.

Contents: Roof fan, screws, installation, operating and maintenance instructions.


Performance data



E220							
		60 V	110 V	135 V	165 V	180 V	230 V
q V1	dm ³ /s	30.4	67.8	72.7	88.5	121.6	160.6
p tF	Pa	9	37	74	118	110	130
PE	W	10.0	30.0	43.0	60.7	69.0	99.0
ηtE	-	0.028	0.083	0.125	0.172	0.194	0.211
n	1/min	518	1077	1386	1727	1892	2266
L W63	dB	45.6	52.9	61.7	64.6	60.1	62.2
L W125	dB	50.0	66.0	71.5	76.3	72.2	74.3
L W250	dB	42.8	59.4	64.8	70.4	67.9	70.5
L W500	dB	26.2	48.5	52.7	58.1	61.1	65.0
L W1000	dB	35.0	49.6	53.5	57.8	60.7	64.6
L W2000	dB	21.0	40.4	47.0	52.5	56.2	60.8
L W4000	dB	*	30.4	39.1	45.9	49.0	56.6
L W8000	dB	*	*	24.8	34.0	38.0	44.3
L W	dB	52.0	67.2	72.8	77.7	74.3	76.8
L WA	dB (A)	39.6	56.0	61.2	66.4	66.1	69.7



Dimensions



Copyright © 2014 SK Tuote Oy. All rights reserved.

Product information

Color	Product code	Contents
Black	73472	Roof fan, screws, installation, operating and maintenance instructions.
Brown	73474	Roof fan, screws, installation, operating and maintenance instructions.
Green	73476	Roof fan, screws, installation, operating and maintenance instructions.
Grey	73477	Roof fan, screws, installation, operating and maintenance instructions.
Red	73478	Roof fan, screws, installation, operating and maintenance instructions.
Brick Red	73479	Roof fan, screws, installation, operating and maintenance instructions.
Anthracite	7347D	Roof fan, screws, installation, operating and maintenance instructions.

Sales and technical support

Puh. 020 123 3233
myynti@vilpe.com

VILPE Oy

Kauppatie 9
65610 Mustasaari
Suomi